



Poonia Agro Tech

Apni Zameen Apni Machine

हर किसान का अटूट विश्वास.....

INDEX

• CROP HARVESTING -----	03
• ATTACHMENTS -----	
• MINI TILLERS/ TROLLY BRUSH CUTTERS -----	09
• EARTH AUGERS -----	12
• COTTON PICKER -----	15
• BATTERY SPRAYERS -----	16
• HTP SPRAYERS & HOSE PIPE -----	18
• PORATBLE POWER SPRAYERS -----	19
• FOGGING MACHINES -----	23
• WATER PUMP SETS -----	25
• CHAFF CUTTERS -----	27
• POWER WEEDER -----	29
• POWER REAPER -----	33
• FLOUR MILL MACHINE -----	35
• SUGARCANE JUICER -----	37
• SOLAR FENCING MACHINE/ ZATKA MACHINE -----	38



ADITYA POONIA : +91 968 000 0704



ABOUT POONIA AGRO TECH

POONIA AGRO TECH is a Rajasthan based Agrotech company In India, engaged in import and export business. Importing agricultural and other equipment is our main business. We firmly believe that our work is for the benefit of farmers. We have built a team that is the perfect blend of business acumen, passion, knowledge and experience, and expertise that is unparalleled in the industry. Our leaders work together to ensure customer satisfaction by combining quality products with reasonable price/performance, prioritized customer service and excellent communication channels. POONIA AGRO TECH is an certified import and export company that distributes high-quality agricultural equipment to our farmers, helping them save a lot of time, energy and labor, thereby increasing their production and income. Our products are optimized and customized according to farmers' conditions and requirements. In a very short span of time, POONIA AGRO TECH has became one of the fastest growing and trusted brands with a pan-India presence, with having Farmers from different parts of India.

Our strengths lie in high-quality products, affordable cost performance and commitment to dealers. Currently, we have more than 100 SKUs, including power weeders, mini weeders, brush cutters, harvesters, power sprayers, seeders, water pumps, augers, chaff knives, pressure washers and other product categories. Our products are tested by FMTTI (Government Institute of India) which helps our farmers avail subsidy schemes. We strive to offer a range of innovative products to facilitate workflow while maintaining good efficiency.



ADITYA POONIA : +91 968 000 0704

CROP HARVESTORS



Poonia Agro Tech

Apni Zameen Apni Machine





PA- BCSP- 52C

DISPLACEMENT	52CC
ENGINE POWER	1.45KW/7000RPM
ENGINE TYPE	2 STROKE
FUEL	OIL MIX PETROL 1:25
CARRY TYPE	SIDEPACK



2Stroke

PA- BCBP- 52C

DISPLACEMENT	52CC
ENGINE POWER	1.45KW/7000RPM
ENGINE TYPE	2 STROKE
FUEL	OIL MIX PETROL 1:25
CARRY TYPE	BACKPACK



PA- BCSP - 35C

DISPLACEMENT	35CC
ENGINE POWER	0.80KW/6500RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK





PA- BCBP- 35C

DISPLACEMENT	35CC
ENGINE POWER	1.00KW/7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	BACKPACK



PA- BCSP- 50C

DISPLACEMENT	50CC
ENGINE POWER	1.5KW/7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDE PACK



PA- BCBP-50C

DISPLACEMENT	50CC
ENGINE POWER	1.5KW/7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	BACKPACK




PA- BC- HONDA GX35-0EM

DISPLACEMENT	35.8CC
ENGINE POWER	1.5HP/7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK



PA- BC- HONDA- GX50-0EM

DISPLACEMENT	47.9CC
ENGINE POWER	2HP/7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK





CHAINSAW ATTACHMENT

Dia size-26MM/28MM

Spline-9

Guide Bar-11 Inch



HEDGE TRIMMER ATTACHMENT

Dia size-26MM/28MM

Spline-9

Bar Length-28 Inch



WATERPUMP ATTACHMENT

Dia size-26MM/28MM

Spline-9

Bar Length-1Inch/15 Inch



SPRAY PUMP ATTACHMENT

Dia size 26MM/28MM

Spline-9

Working Pressure : 20-35 bar

Suction Volume : 7-9 litres / min

Liquid Output : 420 Litres/hour

Weight : 4 kg (Approx)



Poonia Agro Tech

Apni Zameen Apni Machine

ADITYA POONIA : +91 968 000 0704



TYPE 1- TILLER

Dia size-26MM/28MM

Spline-9

Tiller Length-13.5Inch



TYPE 2- WEEDER

Dia size-26MM/28MM

Spline-9

Weeder

Length-15 Inch



TYPE 3- WEEDER

Dia size-26MM/28MM

Spline-9

Weeder

Length -15 Inch



ADITYA POONIA : +91 968 000 0704

MINI TILLERS/TROLLY BRUSH CUTTERS



PABCTT- 52



Displacement	52CC
Engine Power	1.45KW/7000RPM
Engine Type	2 Stroke
Fuel	Oil Mix Petrol 1:25
Carry Type	Trolley
Suitable For	Grass cutting/ Tilling / Weeding



PAMW-52

Engine Power-1.45KW/7000RPM

Engine Type-2 Stroke

Fuel -Oil Mix Petrol 1:25

Carry Type -Trolley

Suitable For-Weeding



PAMW -52- 01

Engine Power-1.45KW/7000RPM

Engine Type -2 Stroke

Fuel - Oil Mix Petrol 1:25

Carry Type - Trolley

Suitable For - Tilling / Weeding



PAMW- 63

Displacement - 63CC

Engine Power - 2.2KW/3HP/7000RPM

Engine Type- 2 Stroke

Fuel -Oil Mix Petrol 1:25

Carry Type -Trolley

Suitable For -Tilling / Weeding



Poonia Agro Tech

Apni Zameen Apni Machine

ADITYA POONIA : +91 968 000 0704

PAMW-4S53

Power-3 HP

DISPLACEMENT-53CC

RATED SPEED- 8500-9000 RPM

Engine Type- 4 STROKE

Fuel- Petrol

DEPTH- 10-40CM

START METHOD- RECOIL

FUEL TANK- 1300 ML



Poonia Agro Tech

Apni Zameen Apni Machine

ADITYA POONIA : +91 968 000 0704

EARTH AUGERS



PAEA - 52

Engine Power - 1.45KW
Engine Type - 2 Stroke
Drill Range- 40MM – 300MM
Handle Type - One Man Operated
Fuel - Oil Mix Petrol 1:25



2 Stroke

PAEA - 63

Displacement - 63CC
Engine Power - 2.2KW
Engine Type - 2 Stroke
Drill Range - 40MM – 300MM
Handle Type - One Man Operated
Fuel - Oil Mix Petrol 1:25



2 Stroke

ADITYA POONIA : +91 968 000 0704

PAEATT-63

Displacement - 63CC

Engine Power- 2.2KW

Engine Type- 2 Stroke

Drill Range- 40MM – 300MM

Handle Type- One Man Operated

Fuel - Oil Mix Petrol 1:25



PAEA -139

Displacement - 139CC

Engine Power -2.81 KW

Engine Type - 4 Stroke

Drill Range - 40MM – 600MM

Handle Type - Two Man Operated

Oil- 180ml in separate oil tank



PAEA-196

Displacement - 196CC

Engine Power -6.5 Hp

Engine Type - 4 Stroke

Drill Range - 40MM – 600MM

Handle Type - Two Man Operated

Oil- 180ml in separate oil tank

Weight- 30 kg



PA – DRILL BITS & EXTENSIONS

Drill Bits Width Length

60MM 2.4" 32"

100MM 4" 32"

150MM 6" 32"


200MM 8" 32"

250MM 10" 32"

300MM 12" 32"

100CM Extension 39"

70CM Extension 27"



COTTON PICKER



Usage/ Application : Agricultural
Material : Mild Steel
Power Source : Electric
Automation Grade : Automatic
Voltage : 220 V
Picking Capacity : 80- 150 Kg Per Day
Frequency : 50 - 60 Hz
Current : 7 Amp
Discharging Time : Above 6 Hours
Weight : 620 grams
Dimensions : 280 * 90*110mm
Speed : 54turn/min



BATTERY SPRAYER



PA-20-DM-12V 12AH

BATTERY

12V 12AH (3.0KGS)

PUMP

80 LPM, DOUBLE MOTOR

TYPE

BATTERY OPERATED

TANK

20L

SPEED CONTROLLER

YES

CHARGER

1.7A



4 PCS NOZZLES



60 CMS BRASS GUN

SS LANCE WITH
BRASS HEAD



DOUBLE PUMP



Poonia Agro Tech
Apni Zamkeen Apni Machine

ADITYA POONIA : +91 968 000 0704

BATTERY SPRAYER

PA – 20 – DM – 12V 16AH

BATTERY - 12V 16AH (3.5 KGS)
PUMP- 8.0 LPM, DOUBLE MOTOR
TYPE- BATTERY OPERATED
TANK -20L
SPEED CONTROLLER - YES
CHARGER - 1.7A



4 PCS NOZZLES



60 CMS BRASS GUN

SS LANCE WITH
BRASS HEAD



DOUBLE PUMP

PA – PS – 1216

BATTERY - 12V 16AH (3.5 KGS)
PUMP - 8.0 LPM, DOUBLE MOTOR
TYPE - BATTERY OPERATED
SPEED CONTROLLER -YES
CHARGER -1.7A



HTP SPRAYER



PA – P5- A1 – 22

SUCTION 13.5 – 22 L/MIN

SPEED 800 – 1200 RPM

WEIGHT 7.5 KGS



PA – P5- A1 – 30

SUCTION 32 – 48 L/MIN

SPEED 800 – 1200 RPM

WEIGHT 10.5 KGS

PA – P5- B3 – 50

SUCTION 32 – 46 L/MIN

SPEED 800 – 1200 RPM

WEIGHT 11.2 KGS

HOSE PIPE



PA – HP – 8.5/50 (1/4) / (1/2)

PA – HP – 8.5/100 (1/4) / (1/2)

SIZE 8.5 MM

LAYERS 5 LAYERS

LENGTH 50 MTR & 100 MTR

JOINER SIZE 1/4 INCH / 1/2 INCH

JOINER TYPE I SIDE MALE, OTHER 5/0E FEMALE

PA– HP – 10/100

SIZE 10 MM

LAYERS SLAYERS

LENGTH 100 MTR

JOINER SIZE 1/2 INCH

JOINER TYPE BOTH SIDE FEMALE

PORTABLE POWER SPRAYER

PA – POPS – 139G

DISPLACEMENT 31CC / 4 STROKE
PRESSURE 1.5 – 2.5 MPA
OUTPUT 3 – 8 L/MIN
PUMP ABS PUMP
FUEL PETROL



PA – POPS – 35G

DISPLACEMENT 35CC / 4 STROKE
PRESSURE 1.5 – 2.5 MPA
OUTPUT 3 – 8 L/MIN
PUMP ABS PUMP
FUEL PETROL



PA – PPS – 35K (KTS)

DISPLACEMENT 35CC / 4 STROKE
PRESSURE 1.5 – 2.5 MPA
OUTPUT 3 – 8 L/MIN
PUMP HEAVY BRASS
FUEL PETROL
OUTLET 2



PORTABLE POWER SPRAYER - ACCESSORIES INSIDE BOX



PA - TTPS

Engine: 4-Stroke

Displacement: 35.8cc

Fuel Use: Petrol

Fuel Capacity: 0.6 Litre

Pressure: 0-25kg/Cm Square

Output: 6-8 Ltr/Min

Spray Distance Of Fogging Gun: 10M

Fuel Consumption: 0.5 Litre/Hour

Capacity: 50 Lite

Dimensions: 104 x 51 x 87 cm

Weight: 42Kg (Approx)

Accessories :

35 Meter Hose Pipe (8.5 mm)

60 cm Gun



.....

KNAPSACK POWER SPRAYER

4Stroke



PA – KS – 3935

DISPLACEMENT 35CC, 4 STROKE

PRESSURE 1.5 – 2.5 MPA

WATER FLOW 3 - 8 L/MIN

TANK CAPACITY 20L

PUMP ABS PUMP

4Stroke



PA – KS – 4131

DISPLACEMENT 35CC, 4 STROKE

PRESSURE 1.5 – 2.5 MPA

WATER FLOW 3 - 8 L/MIN

TANK CAPACITY 20L

PUMP ABS PUMP



CARRY SYSTEM



LATEST DESIGN
WATER PROOF SWITCH



ERGONOMICS
KNAPSACK DESIGN



SMART LEAKAGE CAP



GUN HOLD SYSTEM



HUMANIZED QUICK
SWITCH


PA – KS – 3520

DISPLACEMENT 35CC, 4 STROKE
PRESSURE 1.5 – 2.5 MPA
WATER FLOW 3 - 8 L/MIN
TANK CAPACITY 20L
PUMP HEAVY BRASS



PA – KS – 3120

DISPLACEMENT 31CC, 4 STROKE
PRESSURE 1.5 – 2.5 MPA
WATER FLOW 3 - 8 L/MIN
TANK CAPACITY 20L
PUMP HEAVY BRASS



HEAVY BRASS PUMP



LATEST DESIGN
WATER-PROOF SWITCH



LEATHER BELT



GUN HOLD SYSTEM



HUMANIZED QUICK
SWITCH

FOGGING MACHINE



PAL- P120

MODEL- P120

EMPTY WEIGHT 11.5KG

SIZE(L*W*H) - 1050 * 260 *260MM

CAPACITY OF SOLUTION TANK - 8LITERS * 2

CAPACITY OF FUEL TANK 2.0 LITERS

MAX FUEL CONSUMPTION 2.6L/H

MAX PERFORMANCE OF ENGINE- 23.8 KW(40.15HP)

AUTOMATIC IGNITION - ELECTRIC IGNITION COIL BY REC BATTERY

STARTING DEVICE- AUTOMATIC & MANUAL START

FLOW RATE - 10-35L/H

STANDARD FLOW RATE - 15L/H

DROPLET SIZE SPECTRUM- <30UM

COMBUSTION CHAMBER MATERIAL - 316 STAINLESS STEEL

COMBUSTION CHAMBER MODEL - 70*32

FRAME MATERIAL - TITANIUM STAINLESS STEEL

CARBURETOR - SELF- SUCTION CARBURETOR* 2PCS

DISPLACEMENT - 48CC




ADITYA POONIA : +91 968 000 0704

PA-180

MODEL R180

EMPTY WEIGHT 11.5KG
SIZE (LxWxH) 1050 X 260 X 260MM
CAPACITY OF SOLUTION TANK 8 LITRES X 2
CAPACITY OF FUEL TANK 2.0 LITRES
MAX. FUEL CONSUMPTION 2.6 L/H
MAX. PERFORMANCE OF ENGINE 23.8 KW (40.15 HP)
AUTOMATIC IGNITION ELECTRIC IGNITION COIL BY OB ACID BATTERY
STARTING DEVICE AUTOMATIC AND MANUAL START
FLOW RATE 10 – 35 L/H
STANDARD FLOW RATE 18 L/H
DROPLE SIZE SPECTRUM < 50 UM
COMBUSTION CHAMBER MATERIAL 304 STAINLESS STEELS
COMBUSTION CHAMBER MODEL 60 X 28
FRAME MATERIAL STAINLESS STEEL
CARBURETOR SELF – SUCTION CARBURETOR X 2PCS
DISPLACEMENT 48CC



PA- MF

Tank Capacity 2Liters
Flow Rate
Solution 1.5-2 lph
Fuel Consumption 500ml/hr
Tank Material Polyethylene
Colour Yellow
Dimensions 47x20x30 cm
Suitable For
Insect Control, Agriculture, Forestry, Greenhouse, Gardens, Orchard & Flower Nursery
Weight 1.7 kg
Dry: 1.2 kg



WATER PUMPS



PA – WP20

ENGINE 168F, PETROL
MAX HEAD 22M
MAX SUCTION 8M
FLOW MAX 500L/MIN
INLET / OUTLET 2 INCH
FUEL PETROL



PA – WP30

ENGINE 168F, PETROL
MAX HEAD 22M
MAX SUCTION 8M
FLOW MAX 750L/MIN
INLET / OUTLET 3 INCH
FUEL PETROL



Poonia Agro Tech
Apni Zamkeen Apni Machine

PA – WP35G – 1”

PA – WP35G – 1.5”

DISPLACEMENT 35CC, 4 STROKE
MAX HEAD 22M
MAX SUCTION 7M
FLOW 100L/ MIN
OUTLET 1/ 1.5 INCH
FUEL PETROL
RAPL – WP52G – 1”



PA – WP52G – 1.5”

DISPLACEMENT 52CC, 2 STROKE
MAX HEAD 22M
MAX SUCTION 7M
FLOW 100L/ MIN
OUTLET 1/ 1.5 INCH
FUEL OIL MIX PETROL 1:25



CHAFF CUTTER MACHINES



PA-CC 3 IN 1

3IN1-CHAFF CUTTER,ANIMAL FEED & FLOUR FOR HOME

FOR ANIMALS FEED AND AATA CHAKKI

5 MM HAVEY BODY

6 JALI SET FOR PALVELIZING & AATA MAKING PERPOSE

2 ADJUSTEBAL AUTO PUSH ROLLER

USEFUL TO 5-20 ANIMALS

OUTPUT

CHOPPING – 400 TO 800 KG/H

PULVERIZING – DEPENDS ON SIVES



PA-CC-1.0

REQUIRED POWER 3HP
SPEED OF MOTOR 2800 R/ MIN
SHAFT DIAMETER 24MM
PULLEY DIAMETER 80MM
CAPACITY 400 – 1200 KG/HR
NO. OF BLADE 4 PCS
FINAL SIZE AFTER CUTTING 10 – 35MM
WEIGHT 44 KG



PA-CCCB-2.0

REQUIRED POWER 3HP
SPEED OF MOTOR 2800 R/ MIN
SHAFT DIAMETER 24MM
PULLEY DIAMETER 80MM
CAPACITY 700 – 1500 KG/HR
NO. OF BLADE 4 PCS
FINAL SIZE AFTER CUTTING 10 – 35MM
WEIGHT 61 KG



Poonia Agro Tech

Apni Zameen Apni Machine



POWER WEEDER

PA-700G



Engine Model	170F - Petrol
Displacement	212 CC/ 4 Stroke
Max. Power	3.9 KW
Starting System	Recoil
Transmission	2 Forward – 1 Reverse
Handle Bar system	UP/ Down. Left/Right
Type	4.0 – 8 Tubless
Blades (Dry Land)	4 Group x2+1+1(32 pcs)
Packing	Wooden Box

POWER WEEDER 500 SERIES

PA-550G - ES

ENGINE MODEL- 170F ENGINE
DISPLACEMENT/ FUEL - 212CC/PETROL
MAX POWER/RPM- 4KW/3600 RPM
STARTING SYSTEM - RECOIL/ ELECTRIC
TRANSMISSION - GEAR
HANDLE BAR SYSTEM - UP/DOWN
TYRE - 4.0 - 8
BLADES (DRY LAND) - 24PCS
GEAR - R, 0, 1, 2
TILLING DEPTH (MM) - 100 - 300 MM
TILLING WIDTH (MM) - 800 MM



PA- 570G

ENGINE MODEL- 170F ENGINE
DISPLACEMENT/ FUEL - 212CC/PETROL
MAX POWER/RPM- 4KW/3600 RPM
STARTING SYSTEM - RECOIL
TRANSMISSION - GEAR
HANDLE BAR SYSTEM - UP/DOWN
TYRE - 4.0 - 8
BLADES (DRY LAND) - 32PCS
GEAR - R, 0, 1, 2
TILLING DEPTH (MM) - 100 - 300 MM
TILLING WIDTH (MM) - 1050 MM



PA-573D

ENGINE MODEL- 170F ENGINE
DISPLACEMENT/ FUEL - 247CC/ DIESEL
MAX POWER/RPM- 4KW/3600 RPM
STARTING SYSTEM - RECOIL
TRANSMISSION - GEAR
HANDLE BAR SYSTEM - UP/DOWN
TYRE - 4.0 - 8
BLADES (DRY LAND) - 32PCS
GEAR - R, 0, 1, 2
TILLING DEPTH (MM) - 100 - 300 MM
TILLING WIDTH (MM) - 1050 MM



POWER WEEDER 500 SERIES



PA-578D

ENGINE MODEL- 178F ENGINE
DISPLACEMENT/ FUEL - 296 CC/DIESEL
MAX POWER/RPM- 4.4 KW/4000 RPM
STARTING SYSTEM - RECOIL
TRANSMISSION - GEAR
HANDLE BAR SYSTEM - UP/DOWN/LEFT / RIGHT
TYRE - 5.0- 12
BLADES (DRY LAND) - 32PCS
GEAR - R, 0, 1, 2
TILLING DEPTH (MM) - 100 - 300 MM
TILLING WIDTH (MM) - 1050 MM



PA- 585D

ENGINE MODEL- 186F ENGINE
DISPLACEMENT/ FUEL - 406 CC/ DIESEL
MAX POWER/RPM- 5.5 KW/3600 RPM
STARTING SYSTEM - RECOIL
TRANSMISSION - GEAR
HANDLE BAR SYSTEM - UP/DOWN/ LEFT/ RIGHT
TYRE - 5.0 - 12
BLADES (DRY LAND) - 40 PCS
GEAR - R, 0, 1, 2
TILLING DEPTH (MM) - 100 - 300 MM
TILLING WIDTH (MM) - 1350 MM



PA- 585D- E

ENGINE MODEL- 186F ENGINE
DISPLACEMENT/ FUEL - 406 CC/ DIESEL
MAX POWER/RPM- 5.5 KW/3600 RPM
STARTING SYSTEM - RECOIL/ ELECTRIC
TRANSMISSION - GEAR
HANDLE BAR SYSTEM - UP/DOWN/ LEFT/ RIGHT
TYRE - 5.0 - 12
BLADES (DRY LAND) - 40 PCS
GEAR - R, 0, 1, 2
TILLING DEPTH (MM) - 100 - 300 MM
TILLING WIDTH (MM) - 1350 MM



PA-BRPW

Power 6.5 HP

Engine Type- Petrol

Model Name/Number 6.5 HP BACK ROTARY

ENGINE SPEED-3600RPM

MAX OUTPUT 6.5 HP/3600 RPM

FUEL VOLUME -3.6L

DISPLACEMENT 196CC

OIL VOLUME 0.6L

GEAR SHIFTING 0,1,-1

TILLING SCOPE 480 MM

TILLING DEPTH 175-350 MM





PETROL ENGINE REAPER

Engine	Honda GX 200
Fuel	Petrol
Starter	Recoil
Power H.P	5.5 H.P
PowerTake- Off	Independent at 2100 rpm
Wheels	5 12
Cutting Blade Row	4 Line
Cutter Bar	1.5 m
Conveyor Belt	2 Belt
Weight	170Kg
Ground Level Cutting	4 C.M from the ground
Speed	3 Km/hr
Cutting Height	2 Feet to 5 Feet
Total Losing Rate	0.50%
Construction	Steel / Engineering Plastics/ Iron
Operation & Control	Main Clutch Lever (Forward & Reverse)



DISEL ENGINE REAPER

Engine	GREAVES COTTON 5520
Fuel	DIESLE
Starter	Recoil
Power H.P	5-H.P
PowerTake- Off	Independent at 2100 rpm
Wheels	5,12
Cutting Blade Row	4 Line
Cutter Bar	1.5 m
Conveyor Belt	3 Belt
Weight	210Kg
Ground Level Cutting	5 C.M from the ground
Speed	3 Km/hr
Cutting Height	2 Feet to 8 Feet
Total Losing Rate	0.50%
Construction	Steel / Engineering Plastics/ Iron
Operation & Control	Main Clutch Lever (Forward & Reverse)

FLOUR MILL MACHINE

PA – RM – 6N40 – 9FC20

PRODUCT NAME PADDY THRESHER
MODEL 0.8
POWER (KW) 4 KW
PRODUCTIVITY (KG/H) 400 – 1000 KG/H



PA – CT – 1.0

PRODUCT NAME CORN THRESHER
MODEL 1.0
POWER (KW) 0.8 KW
PRODUCTIVITY (KG/H) 1500 KG/H
MOTOR 1 HP



PA- SSFM

1 HP & 1.5 HP (Single Phase) 2 in 1
Body : S.S. (Fully Automatic)
Chamber : 8" * 4" Aluminum
Hoper : 12 Kg
Ampere : 6 to 8
Motor : 2800 rpm
Avarange : 8 to 10 Kg/hr
Height : 33 Inch
Weight : 35 Kg



PA - WFM

1 HP (Single Phase) 2 in 1

Body : Wooden (Fully Automatic)

Chamber : 8" * 4" Aluminum

Hoper : 12 Kg

Ampere : 6 to 8

Motor : 2800 rpm

Avarange : 8 to 10 Kg/hr

Height : 33 Inch

Weight : 35 Kg



SUGARCANE JUICER

PA-SJ1

Capacity 400 glass/hr
Number of Rollers 3 Rollers
Automation Grade Automatic
Usage/Application commercial
Material Ss.304
Voltage 220-230
Weight 68 kg
Motor Rating 1 hp
Usage/Application To make sugarcane juicer



PA - SJ1.5

Capacity upto 500 glass/hr
Yield 150 - 350 ml/kg
Automation Grade Semi-Automatic
Usage commercial
Number of Rollers-3
Phase-singal phase
Crushing Capacity-150 kg/hr
Driven Type-electric and engine type
Roller Dimensions 54mm / long 110mm



PA - SJET

Capacity 400 glass/hr
Number of Rollers 3 Rollers
Automation Grade Automatic
Usage/Application commercial
Material Ss.304
Voltage 220-230
Weight 72 kg
Motor Rating 1.5 hp
Usage/Application To make sugarcane juicer



SOLAR FENCING MACHINE

ZATKA MACHINE

Usage application-

Protect crops from wild animals

Material-Metal

Auto mode-Full automatic
battery

-12volt/12ah up to 35Ah

output -8000V

Input voltage -12v DC

Output current

1.2A capacity

120 vigha(50 acres)

System control Auto& manual mode



Usage application-

Protect crops from wild animals

Material-Metal

Auto mode-Full automatic battery

-12volt/12ah up to 35Ah

output -6000V

Input voltage -12v DC

Output current -1.2A

capacity -60 bigha(25 acres)

System control- Auto& manual mode





Poonia Agro Tech

Apni Zameen Apni Machine

● Behind manjusha departmental store,
khetri road, Chirawa, Jhunjhunu- 333026



ADITYA POONIA : +91 968 000 0704

KAPIL BASERA : +91 961 000 0570



@POONIAAGRO

www.pooniaagrotech.co.in