



MAXGREEN®

SINCE 1964

**Quality Outdoor Garden
Tools & Horticulture
Equipments**



MAXGREEN

L A W N MOWER | MANUAL SIDE WHEEL

MSW 12-14-16-18



- Cutting Cylinder** : 5 blade cutting cylinder of high carbon steel runs on double ball bearings
- Bottom blade** : Specially angled heavy bottom blade for smooth cutting
- Frame** : High grade cast iron heavy duty frame
- Wheels** : Cast iron wheels of 8" diameter big with solid rubber tyres
- Cutting height** : Can be adjust from 1/4" to 3"

MAXGREEN

L A W N MOWER | ELECTRIC

MRE 13



- Power** : 1200watt
- Motor Type** : Copper Winding
- Cutting width** : 13"
- Weight** : 10kg.
- Cutting Height Adjustment** : 3 stage 22-61 mm
- Grass Collector** : 30liter
- Electric Cable** : 100 ft ISI Marked PVC 1.5X3 Core insulated, with detachable socket
- Deck** : Plastic
- Ideal for Lawn Area** : up to 3000sq.ft.



MAXGREEN

**L A W N
MOWER**

ELECTRIC

MRE 15

Power	: 1600watt
Motor Type	: Copper Winding
Cutting width	: 15"
Weight	: 18kg.
Cutting Height Adjustment	: Centre Adjustment 25-75 mm
Grass Collector	: 50liter
Electric Cable	: 100 ft meter ISI Marked PVC 1.5x3 Core insulated, with detachable socket
Deck	: Plastic
Ideal for Lawn Area	: up to 5000sq.ft.



MAXGREEN

**L A W N
MOWER**

ELECTRIC

MRE 16

Power	: 1700watt motor
Motor Type	: Copper Winding
Cutting width	: 16"
Weight	: 25kg.
Cutting Height Adjustment	: Centre Adjustment 25-75 mm
Grass Collector	: 50liter
Electric Cable	: 100 ft meter ISI Marked PVC 1.5x3 Core insulated with detachable socket
Deck	: Metal
Ideal for Lawn Area	: 6,000 to 12,000sq.ft.

MRE16 comes with MAXGREEN's **IMPT** system (Intelligent motor protection technology) which reduces motor damage by 80% compared to other lawn mowers.

Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

LAWN MOWER

ELECTRIC



MRE 18

Power	: 2500watt/3 HP
Weight	: 30kg.
Motor Type	: Copper Winding
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: 50liter
Electric Cable	: 100 ft ISI Marked PVC 2.5x3 Core insulated, with detachable socket
Deck	: Steel
Ideal for Lawn Area	: 13,000 to 25,000 sq.ft.
Cutting Width	: 45 cm (18")

MRE18 comes with MAXGREEN's **IMPT** system (Intelligent motor protection technology) which reduces motor damage by 80% compared to other lawn mowers.

Also Available with 3 Phase Motor.

Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

LAWN MOWER

ELECTRIC



MRE 19 SPAL

Power	: 2500Watt/ 3 HP
Weight	: 40 to 45 kg
Motor type	: Copper winding
Cutting Height	: 12-100mm
Grass Collector	: 60 Liters
Electric Cable	: 100 ft. ISI Marked PVC 2.5 X3 Core Insulated With Detachable Socket
Deck (Body)	: Aluminum
Ideal for lawn area	:15,000 to 30,000 sqft.
Cutting Width	: 48CM (19")

MRE 19" comes with IMPT system (Intelligent motor protection technology) which reduces motor damage by 80% compared to other lawn mowers.

Also Available with 3 phase motor

Available in Swing blade for carpet / Korean / Mexican Lawn



MAXGREEN

L A W N MOWER

ELECTRIC

MRE 21

Power	: 2500watt/3 HP
Motor Type	: Copper Winding
Weight	: 33kg.
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: 60liter
Electric Cable	: 100 ft ISI, PVC 2.5x3 Core insulated, with detachable socket
Deck	: Steel
Ideal for Lawn Area	: 26,000 to 40,000 sq.ft.
Cutting width	: 52 cm (21")

MRE21 comes with **IMPT** system

Also Available with 3 Phase Motor.

Available in Swing blade for carpet / Korean / Mexican Lawn



MAXGREEN

L A W N MOWER

SIDE DISCHARGE

MRES D

Power	: 1500watt/3 HP
Blade Size	: 18"/24"
Weight	: 32/35kg.
Power	: 2HP/3HP, TEFC Motor
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: Not required
Electric Cable	: 100 ft ISI Marked PVC 3Core insulated, with detachable socket
Deck	: Metal deck heavy duty
Ideal for Lawn Area	: up to 35,000 sq.ft.



MAXGREEN

L A W N MOWER

ELECTRIC

MRE MAXX 18-21

Power	: 2 HP / 3 HP, TEFC Motor
Blade Size	: 18" / 21"
Weight	: 34kg.
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: 60liter
Electric Cable	: 100 ft ISI Marked 3Core insulated, with detachable socket
Deck	: Metal deck with heavy duty
Ideal Lawn Area	: up to 45,000 sq.ft.

Also Available with 3 Phase Motor.

Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

L A W N MOWER

PETROL

MRP 18-21



Power	: 5 HP, Honda GXV 160 Engine
Deck	: Powder coating steel deck
Cutting size	: 18" and 21"
Drive	: Push
Grass collector	: 60 liter of plastic
Cutting height	: Adjustment with single lever of all four wheels from 12 mm to 100 mm (1/2" to 4")
Cutting width	: 45 cm (18"), 52 cm (21")

Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

L A W N MOWER

PETROL

MRP 19 SPAL



Power : 5HP Honda GXV 160 Engine

Cutting Height : 12-100mm

Grass Collector : 60 Liters

Deck (Body) : Aluminum

Ideal for lawn area : 25,000 to 55,000 sqft.

Cutting Width : 48CM (19")

Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

L A W N MOWER

CYLINDER ROLLER TYPE

MCE 14-18-24-30

Cutting width :

14 35 cm (14") Motor 1 H.P.

18 45 cm (18") Motor 1.5 H.P.

24 60 cm (24") Motor 2 H.P.

30 76 cm (30") Motor 3 HP



Frame : Made of special steel heavy gauge

Transmission : Sprocket & chain type

Cutting cylinder : Six blades cylinder of temper high carbon steel

Bottom blade : Heavy duty special lipped edge of high carbon steel

Rollers : Cast iron heavy nonskid roller rear & front roller of steel with ball bearings.

Cutting height : Can be adjustable from 1/2" to 4"

Drive : Self-propelled (fully automatic)

Electric cable : 3 core ISI mark PVC insulated (100 ft)

MAXGREEN

L A W N MOWER

PETROL

MCP 18-24-30

Cutting width :
18 45 cm (18")
24 60 cm (24")
30 75 cm (30")



- Power : 5 HP Honda GX 160 Engine
- Transmission : Sprocket & chain type
- Cutting cylinder : Six blades cylinder of temper high carbon steel
- Bottom blade : Heavy duty special lipped edge of high carbon steel
- Cutting height : Can be adjustable from 1/2" to 4"
- Drive : Self-propelled (fully automatic)
- Engine : HONDA Petrol engine.

MAXGREEN

L A W N MOWER

DIESEL

MCD 30



- Rated Power : 5.5HP
- Displacement : 300CC
- Speed : 3500 RPM
- Engine : 4 stroke , Air Cooled
- Fuel Used : Diesel
- Fuel Tank : 5 Litre
- Transmission : Sprocket & Chain
- Cutting Cylinder : 6 Blade Cylinder (Also available in 10 Blades cylinder)
- Bottom Blade : Heavy Duty, high carbon steel
- Cutting Height : adjustable from 1/2" to 4"
- Drive : Self-Propelled (fully automatic)

MAXGREEN

L A W N MOWER

PETROL

MCP 30 RIDE ON



- Power** : 5.5 HP Honda GX 200 Engine
- Transmission** : Sprocket & chain type
- Cutting cylinder** : Six blades cylinder of temper high carbon steel
- Bottom blade** : Heavy duty special lipped edge of high carbon steel
- Cutting height** : Can be adjustable from 1/2" to 4"
- Drive** : Self-propelled (fully automatic)
- Engine** : HONDA Petrol engine.

MAXGREEN

L A W N MOWER

DIESEL

MCD 30 RIDE ON



- Rated Power** : 5.5HP
- Displacement** : 300CC
- Speed** : 3500 RPM
- Engine** : 4 stroke , Air Cooled
- Fuel Used** : Diesel
- Fuel Tank** : 5 Litre
- Transmission** : Sprocket & Chain
- Cutting Cylinder** : 6 Blade Cylinder (Also available in 10 Blades cylinder)
- Bottom Blade** : Heavy Duty, high carbon steel
- Cutting Height** : adjustable from 1/2" to 4"
- Drive** : Self-Propelled (fully automatic)



MAXGREEN

PETROL RIDE

MPRO 30

Fuel tank	: 4.2L
Power	: 15 HP
Engine	: Loncin Engine
Blade size	: 30 inches (75 cms)
Cutting height	: 20 mm - 100 mm
Starting system	: Electric start
Stopping system	: Handle
Total displacement	: 344CC
Drive	: Heavy duty belt drive
Transmission	: Forward 5 speed (Max speed 5-10 km/h) Reverse 1 speed (Max speed 5 km/h)
Discharging method	: Bagger
Tyre	: 10" front wheels and 15" rear wheels
Mower size	: 1550*850*1150mm
Grass bagger collector	: 170 liters
Weight	: 180 kgs



MAXGREEN

PETROL RIDE

MPRO 40 ECO

Engine	: B&S 17.5 HP, 500cc
Blade	: 102 CM(40" Inch Twin blade)
Cutting Height Adjustment	: 25mm to 100mm
Weight	: 240 kgs.
Grass Collector	: 300 ltr.
Ignition	: Ignition start
Fuel Tank	: 4 Ltr.
Transmission	: Hydro Gear.
Forward speed	: 0 to 10 KMPH.
Reverse Speed	: 0 to 5 KMPH.
Tyre Size front	: 15 Inch.
Tyre size Rear	: 18 Inch.

MAXGREEN LOPPER MTLOOP



- Cutting capacity : 55mm (2.1 inches)
- Cutting blade : 4.5 mm thickness high carbon steel
- Support Blade : Serrated Aluminium Anvil
- Handle grip : Soft sweat resistant PVC grip
- Cutting height without extension : 67.3 cms
- Cutting height with extension : 102 cms

MAXGREEN SNAKE CATCHER MSC



- Weight : 1.3 kg
- Length : 5'
- Handle : Made of square tube of aluminum with PVC grip An ideal and safe instrument for user & snake both.

MAXGREEN TELESCOPIC TREE PRUNER

MTTP

- Total working height 20'
- Available with 4" Saw blade.
- Cutting capacity : 1.5"



MAXGREEN

BRUSH CUTTER

ELECTRIC


MEBC

Power : 1000 watt

Weight : 5 kgs

Electric cable : 20 meter

Available with nylon thread attachment and steel blade.



MAXGREEN

SECATEURS

SIDE SHEARING

MSSS

Length : 225mm

Blades : High carbon steel thick gauge

Cutting capacity : 14mm

Handle : all steel with nonskid plastic grip with safety lock



MAXGREEN

SECATEURS

ROLL CUT

MSRC

Length : 200mm

Blades : Tempered blades
hardened with brass

Cutting capacity : 12mm

Handle : solid steel with
PVC grip with
safety lock



MAXGREEN

LEAF BLOWER & VACUUM

ELECTRIC



MEBV

Power	: 2400watt/230v
Collection bag	: 40 liter
Max Air Flow	: 160-270 km/hour
Max blowing volume	: 13.2 CBM/minute
Weight	: 3.5kg.
Electric Cable	: 3 core ISI marked PVC insulated (30meter)

MAXGREEN

HEDGE SHEARS

MHS 10 S



Cutting blade length	: 10 inches
Cutting blade thickness	: 4 mm
Blade material	: High grade carbon steel with Teflon coating for extra smooth operation
Support blade	: Carbon steel with chrome plating
Blade design	: Special saw-toothed design increases the life of the cutting blade and it is self sharpening
Handle grip	: PVC sweat resistant grip for safe and hassle free operation
Handle material	: Specially polished high quality oakwood handle



MHS ECO 10 PS

Blade Length	: 254mm
Total Length	: 508mm
Blade Thickness	: 391mm
Blade Hardness	: 56+/-2HRC 65Mn Carbon steel
Handle	: plastic orange

MAXGREEN

PETROL HEDGE TRIMMER

MPHT 24



Power	: 26 cc	Blade length	: 24 inches
Engine type	: 2 stroke	Fuel tank	: 600 ml

MAXGREEN

CHAIN SAW

ELECTRIC

MECS



Power	: 2400 watt
Bar Size	: 16 inches
Cutting capacity	: 2 to 2.5 feet diameter
Electric cable	: 3 core ISI mark PVC insulated (100 ft)

MAXGREEN

CHAIN SAW

PETROL

MPCS 22



Displacement	: 58 CC
Guide bar length	: 22 inches
Cutting capacity	: 3 to 3.5 feet diameter
Engine power	: 3.2 H.P.
Weight	: 8 kgs
Fuel tank	: 550 ml
Chain oil capacity	: 2.60 ml (Add to specs)
Engine type	: 2 stroke / air cooled / single cylinder

MAXGREEN

HEDGE TRIMMER

ELECTRIC

MEHT



Power	: 600 watt	Cable	: 20 meter
Blade size	: 60 cm (24")	Weight	: 4kg.
4 way adjustable handle for better maneuverability			

MAXGREEN

CHAIN SAW

ELECTRIC POLE PRUNER

MEPP

Motor	: 750 watt
Cable	: 1.5mm
Cable Length	: 30 metre
Saw Size	: 8 Inch
Height	: 10 Feet
Working Height	: 15 Feet
Weight	: 5 kg



MAXGREEN

BRUSH CUTTER

PETROL

MPBC 2 stroke / 4 stroke

2 stroke

Displacement	: 52 CC
Power	: 2 HP
Engine type	: 2 Stroke
Start type	: Recoil
Weight	: 7 kg.

4 stroke

Displacement	: 35 CC
Power	: 1.4 HP
Engine type	: 4 Stroke
Start type	: Recoil
Weight	: 7 kg.



Available with nylon thread attachment, steel blade and circular saw Blade 60T
Also available back pack four stroke brush cutter.

MAXGREEN

PETROL AUGER

MPA 68

Power	: 68 cc / 2.2 KW
Engine type	: 2 stroke
Fuel tank	: 1.2 Liters
Bit diameter	: 80*150 mm
Driving mode	: Gear drive



MAXGREEN

BRASS SPRINKLERS

MBSP



Brass sprinkler with Iron Stand,
Covering area : 40' Radius

MAXGREEN

Trolley

Body : MS
Capacity : 150Kg



AMBICA

Engineering Industries

Plot 9, Shayona Silver Estate Part 2, Nr. K.C.T. Laboratory,
B/h. Silver Oak Engg. College, Gota, Ahmedabad 382 481. Gujarat.

Customer Care No.: +91 8490018665

Dealership Inquiry No.: 7016598350

Service No.: 7405058665

E-mail: sales@maxgreen.in

Web: www.maxgreen.in